

----- First attempt from [Absender-Name]@[Absender] to P.YYYY@XXXXXXXXX.de -----

(00001036) New Socket

RESOLVE MX XXXXXXXXXX.de

(00001036) UDP SendTo (33)

QUERY/QUERY/RD/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 0

Name Server Entries: 0

Resource Entries : 0

(00001036) UDP RecvFrom (146)

RESPONSE/QUERY/RD/RA/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 3

XXXXXXXXXX.de

mail2.XXXXXXXXXX.de (30)

XXXXXXXXXX.de

mail1.XXXXXXXXXX.de (20)

XXXXXXXXXX.de

mail.XXXXXXXXXX.de (10)

Name Server Entries: 0

Resource Entries : 3

mail2.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail1.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail.XXXXXXXXXX.de

IP Adr. 195.243.230.10

(2) Connecting to server 195.243.230.10 on port 25

(00001264) New Socket

(00001264) ReUseAddr : 1

(00001264) OutOfBandDataInline: 1
(00001264) KeepAlive : 5 minutes
(00001264) Socket Bound to Port 0
(00001264) Socket Connected to 195.243.230.10
(2) Connection established (1264)
(00001264) read (39/0)
(00001264) Got complete TCP Message (Size=39)
(2) 220 mail.XXXXXXXXXX.de ESMTP ready.
(2) EHLO mail.[Absender-Domäne].com
(2) 250-mail.XXXXXXXXXX.de Hello p578aa5aa.dip0.t-ipconnect.de [87.138.165.170]
(2) 250-SIZE 104857600
(2) 250-8BITMIME
(2) 250-PIPELINING
(2) 250-STARTTLS
(2) 250 HELP
(2) MAIL FROM:<[Absender-Name]@[Absender]>
(00001264) read (8/0)
(00001264) Got complete TCP Message (Size=8)
(2) 250 OK
(2) RCPT TO:<P.YYYY@XXXXXXXXXX.de>
(00001264) read (178/0)
(00001264) Got complete TCP Message (Size=178)
(2) 550-delivery from 87.138.165.170 is rejected. Check at
(2) 550-http://www.commtouch.com/Site/Resources/Check_IP_Reputation.asp. Reference
(2) 550 code:tid=0001.0A0C0301.57D95163.00CE
(2) SMTP Server: Wrong Receiver Name! (P.YYYY@XXXXXXXXXX.de)
(2) RSET
(2) SMTP Server: Reset Error!
(2) Mail Transmission aborted

----- Attempt no 2 from [Absender-Name]@[Absender] to P.YYYY@XXXXXXXXXX.de -----

(00001244) New Socket

RESOLVE MX XXXXXXXXXX.de

(00001244) UDP SendTo (33)

QUERY/QUERY/RD/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 0

Name Server Entries: 0

Resource Entries : 0

(00001244) UDP RecvFrom (146)

RESPONSE/QUERY/RD/RA/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 3

XXXXXXXXXX.de

mail1.XXXXXXXXXX.de (20)

XXXXXXXXXX.de

mail.XXXXXXXXXX.de (10)

XXXXXXXXXX.de

mail2.XXXXXXXXXX.de (30)

Name Server Entries: 0

Resource Entries : 3

mail1.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail2.XXXXXXXXXX.de

IP Adr. 195.243.230.10

(1) Connecting to server 195.243.230.10 on port 25

(00001172) New Socket

(00001172) ReUseAddr : 1

(00001172) OutOfBandDataInline: 1

(00001172) KeepAlive : 5 minutes
(00001172) Socket Bound to Port 0
(00001172) Socket Connected to 195.243.230.10
(1) Connection established (1172)
(00001172) read (39/0)
(00001172) Got complete TCP Message (Size=39)
(1) 220 mail.XXXXXXXXXX.de ESMTP ready.
(1) EHLO mail.[Absender-Domäne].com
(1) 250-mail.XXXXXXXXXX.de Hello p578aa5aa.dip0.t-ipconnect.de [87.138.165.170]
(1) 250-SIZE 104857600
(1) 250-8BITMIME
(1) 250-PIPELINING
(1) 250-STARTTLS
(1) 250 HELP
(1) MAIL FROM:<[Absender-Name]@[Absender]>
(00001172) read (8/0)
(00001172) Got complete TCP Message (Size=8)
(1) 250 OK
(1) RCPT TO:<P.YYYY@XXXXXXXXXX.de>
(00001172) read (178/0)
(00001172) Got complete TCP Message (Size=178)
(1) 550-delivery from 87.138.165.170 is rejected. Check at
(1) 550-http://www.commtouch.com/Site/Resources/Check_IP_Reputation.asp. Reference
(1) 550 code:tid=0001.0A0C0301.57D95163.00CE
(1) SMTP Server: Wrong Receiver Name! (P.YYYY@XXXXXXXXXX.de)
(1) RSET
(00001172) Read failed: Got=-1
(1) SMTP Server: Reset Error!
(1) Mail Transmission aborted

----- Attempt no 3 from [Absender-Name]@[Absender] to P.YYYY@XXXXXXXXXX.de -----

(00001172) New Socket

RESOLVE MX XXXXXXXXXX.de

(00001172) UDP SendTo (33)

QUERY/QUERY/RD/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 0

Name Server Entries: 0

Resource Entries : 0

(00001172) UDP RecvFrom (146)

RESPONSE/QUERY/RD/RA/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 3

XXXXXXXXXX.de

mail1.XXXXXXXXXX.de (20)

XXXXXXXXXX.de

mail.XXXXXXXXXX.de (10)

XXXXXXXXXX.de

mail2.XXXXXXXXXX.de (30)

Name Server Entries: 0

Resource Entries : 3

mail1.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail2.XXXXXXXXXX.de

IP Adr. 195.243.230.10

(1) Connecting to server 195.243.230.10 on port 25

(00001256) New Socket

(00001256) ReUseAddr : 1

(00001256) OutOfBandDataInline: 1

(00001256) KeepAlive : 5 minutes
(00001256) Socket Bound to Port 0
(00001256) Socket Connected to 195.243.230.10
(1) Connection established (1256)
(00001256) read (39/0)
(00001256) Got complete TCP Message (Size=39)
(1) 220 mail.XXXXXXXXXX.de ESMTP ready.
(1) EHLO mail.[Absender-Domäne].com
(1) 250-mail.XXXXXXXXXX.de Hello p578aa5aa.dip0.t-ipconnect.de [87.138.165.170]
(1) 250-SIZE 104857600
(1) 250-8BITMIME
(1) 250-PIPELINING
(1) 250-STARTTLS
(1) 250 HELP
(1) MAIL FROM:<[Absender-Name]@[Absender]>
(00001256) read (8/0)
(00001256) Got complete TCP Message (Size=8)
(1) 250 OK
(1) RCPT TO:<P.YYYY@XXXXXXXXXX.de>
(00001256) read (178/0)
(00001256) Got complete TCP Message (Size=178)
(1) 550-delivery from 87.138.165.170 is rejected. Check at
(1) 550-http://www.commtouch.com/Site/Resources/Check_IP_Reputation.asp. Reference
(1) 550 code:tid=0001.0A0C0301.57D95163.00CE
(1) SMTP Server: Wrong Receiver Name! (P.YYYY@XXXXXXXXXX.de)
(1) RSET
(00001256) Read failed: Got=-1
(1) SMTP Server: Reset Error!
(1) Mail Transmission aborted

----- Attempt no 4 from [Absender-Name]@[Absender] to P.YYYY@XXXXXXXXXX.de -----

(00001240) New Socket

RESOLVE MX XXXXXXXXXX.de

(00001240) UDP SendTo (33)

QUERY/QUERY/RD/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 0

Name Server Entries: 0

Resource Entries : 0

(00001240) UDP RecvFrom (146)

RESPONSE/QUERY/RD/RA/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 3

XXXXXXXXXX.de

mail.XXXXXXXXXX.de (10)

XXXXXXXXXX.de

mail1.XXXXXXXXXX.de (20)

XXXXXXXXXX.de

mail2.XXXXXXXXXX.de (30)

Name Server Entries: 0

Resource Entries : 3

mail.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail1.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail2.XXXXXXXXXX.de

IP Adr. 195.243.230.10

(1) Connecting to server 195.243.230.10 on port 25

(00001128) New Socket

(00001128) ReUseAddr : 1

(00001128) OutOfBandDataInline: 1

(00001128) KeepAlive : 5 minutes
(00001128) Socket Bound to Port 0
(00001128) Socket Connected to 195.243.230.10
(1) Connection established (1128)
(00001128) read (39/0)
(00001128) Got complete TCP Message (Size=39)
(1) 220 mail.XXXXXXXXXX.de ESMTP ready.
(1) EHLO mail.[Absender-Domäne].com
(1) 250-mail.XXXXXXXXXX.de Hello p578aa5aa.dip0.t-ipconnect.de [87.138.165.170]
(1) 250-SIZE 104857600
(1) 250-8BITMIME
(1) 250-PIPELINING
(1) 250-STARTTLS
(1) 250 HELP
(1) MAIL FROM:<[Absender-Name]@[Absender]>
(00001128) read (8/0)
(00001128) Got complete TCP Message (Size=8)
(1) 250 OK
(1) RCPT TO:<P.YYYY@XXXXXXXXXX.de>
(00001128) read (178/0)
(00001128) Got complete TCP Message (Size=178)
(1) 550-delivery from 87.138.165.170 is rejected. Check at
(1) 550-http://www.commtouch.com/Site/Resources/Check_IP_Reputation.asp. Reference
(1) 550 code:tid=0001.0A0C0301.57D95163.00CE
(1) SMTP Server: Wrong Receiver Name! (P.YYYY@XXXXXXXXXX.de)
(1) RSET
(00001128) Read failed: Got=-1
(1) SMTP Server: Reset Error!
(1) Mail Transmission aborted

----- Attempt no 5 from [Absender-Name]@[Absender] to P.YYYY@XXXXXXXXXX.de -----

(00001188) New Socket

RESOLVE MX XXXXXXXXXX.de

(00001188) UDP SendTo (33)

QUERY/QUERY/RD/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 0

Name Server Entries: 0

Resource Entries : 0

(00001188) UDP RecvFrom (146)

RESPONSE/QUERY/RD/RA/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 3

XXXXXXXXXX.de

mail1.XXXXXXXXXX.de (20)

XXXXXXXXXX.de

mail2.XXXXXXXXXX.de (30)

XXXXXXXXXX.de

mail.XXXXXXXXXX.de (10)

Name Server Entries: 0

Resource Entries : 3

mail1.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail2.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail.XXXXXXXXXX.de

IP Adr. 195.243.230.10

(1) Connecting to server 195.243.230.10 on port 25

(00001220) New Socket

(00001220) ReUseAddr : 1

(00001220) OutOfBandDataInline: 1

(00001220) KeepAlive : 5 minutes
(00001220) Socket Bound to Port 0
(00001220) Socket Connected to 195.243.230.10
(1) Connection established (1220)
(00001220) read (39/0)
(00001220) Got complete TCP Message (Size=39)
(1) 220 mail.XXXXXXXXXX.de ESMTP ready.
(1) EHLO mail.[Absender-Domäne].com
(1) 250-mail.XXXXXXXXXX.de Hello p578aa5aa.dip0.t-ipconnect.de [87.138.165.170]
(1) 250-SIZE 104857600
(1) 250-8BITMIME
(1) 250-PIPELINING
(1) 250-STARTTLS
(1) 250 HELP
(1) MAIL FROM:<[Absender-Name]@[Absender]>
(00001220) read (8/0)
(00001220) Got complete TCP Message (Size=8)
(1) 250 OK
(1) RCPT TO:<P.YYYY@XXXXXXXXXX.de>
(00001220) read (178/0)
(00001220) Got complete TCP Message (Size=178)
(1) 550-delivery from 87.138.165.170 is rejected. Check at
(1) 550-http://www.commtouch.com/Site/Resources/Check_IP_Reputation.asp. Reference
(1) 550 code:tid=0001.0A0C0301.57D95163.00CE
(1) SMTP Server: Wrong Receiver Name! (P.YYYY@XXXXXXXXXX.de)
(1) RSET
(00001220) Read failed: Got=-1
(1) SMTP Server: Reset Error!
(1) Mail Transmission aborted

----- Attempt no 6 from [Absender-Name]@[Absender] to P.YYYY@XXXXXXXXXX.de -----

(00001212) New Socket

RESOLVE MX XXXXXXXXXX.de

(00001212) UDP SendTo (33)

QUERY/QUERY/RD/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 0

Name Server Entries: 0

Resource Entries : 0

(00001212) UDP RecvFrom (146)

RESPONSE/QUERY/RD/RA/No Error

Query Entries : 1

XXXXXXXXXX.de

Answer Entries : 3

XXXXXXXXXX.de

mail2.XXXXXXXXXX.de (30)

XXXXXXXXXX.de

mail.XXXXXXXXXX.de (10)

XXXXXXXXXX.de

mail1.XXXXXXXXXX.de (20)

Name Server Entries: 0

Resource Entries : 3

mail2.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail.XXXXXXXXXX.de

IP Adr. 195.243.230.10

mail1.XXXXXXXXXX.de

IP Adr. 195.243.230.10

(2) Connecting to server 195.243.230.10 on port 25

(00001036) New Socket

(00001036) ReUseAddr : 1

(00001036) OutOfBandDataInline: 1

(00001036) KeepAlive : 5 minutes
(00001036) Socket Bound to Port 0
(00001036) Socket Connected to 195.243.230.10
(2) Connection established (1036)
(00001036) read (39/0)
(00001036) Got complete TCP Message (Size=39)
(2) 220 mail.XXXXXXXXXX.de ESMTP ready.
(2) EHLO mail.[Absender-Domäne].com
(2) 250-mail.XXXXXXXXXX.de Hello p578aa5aa.dip0.t-ipconnect.de [87.138.165.170]
(2) 250-SIZE 104857600
(2) 250-8BITMIME
(2) 250-PIPELINING
(2) 250-STARTTLS
(2) 250 HELP
(2) MAIL FROM:<[Absender-Name]@[Absender]>
(00001036) read (8/0)
(00001036) Got complete TCP Message (Size=8)
(2) 250 OK
(2) RCPT TO:<P.YYYY@XXXXXXXXXX.de>
(00001036) read (178/0)
(00001036) Got complete TCP Message (Size=178)
(2) 550-delivery from 87.138.165.170 is rejected. Check at
(2) 550-http://www.commtouch.com/Site/Resources/Check_IP_Reputation.asp. Reference
(2) 550 code:tid=0001.0A0C0301.57D95163.00CE
(2) SMTP Server: Wrong Receiver Name! (P.YYYY@XXXXXXXXXX.de)
(2) RSET
(2) SMTP Server: Reset Error!
(2) Mail Transmission aborted